Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	40198	"709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 09:51
L2	4800	1 and (address$ near1 (translat$4 or exchang$3 or replac$4 or modif$4 modification or chang$4 rout$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 09:51
L3	1046	2 and ((secur$3 adj1 (path link channel communication connection)) tunnel$4 ssl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 09:52
L4	249	3 and ((secur$3 or trust$4) near2 (associat$3 or value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 09:52
L5	9	4 and @ad<"19980305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 09:53

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	4956	(grabelsky near david) (borella near michael) (sidhu near ikhlaq) (nessett near danny) 3com	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 10:12
L7	454	6 and (address$ near1 (translat$4 or exchang$3 or replac$4 or modif$4 modification or chang$4 rout$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 10:12
L10	178	7 and ((secur$3 adj1 (path link channel communication connection)) tunnel$4 ssl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 10:03
L11	51	10 and ((secur$3 or trust$4) near2 (associat$3 or value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 10:13
L12	4	11 and @ad<"19980305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 10:04
L13	131	(grabelsky near david) (borella near michael) (sidhu near ikhlaq) (nessett near danny)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 10:12
L14	28	13 and (address$ near1 (translat$4 or exchang$3 or replac$4 or modif$4 modification or chang$4 rout$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 10:12
L15	10	14 and ((secur$3 or trust$4) near2 (associat$3 or value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/11 10:13

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L16	12	((address$3 near1 transla$4) and ((secur$3 or trust$4) near2 (associat$3 or value)) and network and (rout$3 routable)).clm.	US-PGPUB	OR	ON	2005/11/11 11:02